

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	@pd>"20041026" and 267/160.ccls.	USPAT	OR	ON	2005/06/21 11:20
L2	1	@pd>"20041026" and 73/25.02.ccls.	USPAT	OR	ON	2005/06/21 11:19
L3	8	@pd>"20041026" and 73/24.01.ccls.	USPAT	OR	ON	2005/06/21 11:20
L4	18	@pd>"20041026" and 73/31.05.ccls.	USPAT	OR	ON	2005/06/21 11:21
L5	0	@pd>"20041026" and 324/201.ccls.	USPAT	OR	ON	2005/06/21 11:21
L6	3	@pd>"20041026" and 324/204.ccls.	USPAT	OR	ON	2005/06/21 11:21
L7	0	@pd>"20041026" and 324/214.ccls.	USPAT	OR	ON	2005/06/21 11:21

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	380	(267/160).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/21 08:11
L6	530	(267/160).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/06/21 09:29
L8	198	axial adj load and (two adj springs or four adj springs)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/21 08:28
L9	147	8 and axis	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/21 08:22
L10	15	"267"/\$.ccls. and two adj springs same four adj springs	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/21 08:33
L11	9	"73"/\$.ccls. and two adj springs same four adj springs	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/21 08:43
L12	189	(load or weight) and two adj springs same four adj springs	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/21 08:34
L13	12	"267"/\$.ccls. and 12	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/21 08:34
L14	323	two adj springs same four adj springs	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/21 09:09
L16	5485	microaccelerator or micromechanical	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/21 08:43
L17	629	"73"/\$.ccls. and 16	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/21 08:44
L18	367	two adj springs and four adj springs and (right adj angle or perpendicular)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/21 09:26
L19	37	two adj springs same four adj springs same (right adj angle or perpendicular)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/21 10:07
L25	30	mirror same (tilt\$3 or rotat\$3) and four adj springs same (right adj angle or perpendicular)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/21 10:11
L26	177	(tilt\$3 or rotat\$3) and four adj springs same (right adj angle or perpendicular)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/21 10:11

L27	147	26 not 25	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/21 10:11
-----	-----	-----------	---------------------------------	----	----	------------------